




COVER LEVEL	55.171	55.306	55.567	55.103	54.708	54.796	55.250	55.446
INVERT LEVEL	54.021	53.068 53.068	53.270 53.270	52.993 52.919	52.134 52.134	51.423 51.423	50.918 50.918	50.800
DEPTH (m)	1.150	1.638	2.297	2.184	2.574	3.333	4.332	4.646
DISTANCE (m)	21.15	21.14	38.56	41.51	39.27	11.96	23.68	
PIPE SLOPE	1:60	1:140	1:156	1:150	1:50	1:47	1:200	
PIPE SIZE	150mm	150mm	150mm	150mm	225mm	225mm	225mm	225mm



COVER LEVEL	55.446	57.108	57.419	57.639	57.776	57.183	56.608
INVERT LEVEL	50.800	50.388 50.388	50.325 50.250	50.139 50.139	50.011 50.011	49.629 49.629	49.323
DEPTH (m)	4.646	6.720	7.189	7.500	7.765	7.554	7.285
DISTANCE (m)	82.39	12.50	23.36	28.10	84.00	70.29	
PIPE SLOPE	1:200	1:198	1:210	1:219	1:220	1:230	
PIPE SIZE	225mm	225mm	300mm	300mm	300mm	300mm	



COVER LEVEL	55.606	56.474	56.312	56.053	55.762	55.606
INVERT LEVEL	49.323	49.247 49.247	49.160 49.160	49.022 49.022	48.863 48.863	48.775
DEPTH (m)	7.285	7.227	7.152	7.031	6.899	6.831
DISTANCE (m)	17.53	20.11	32.23	38.07	21.07	
PIPE SLOPE	1:231	1:231	1:234	1:239	1:239	
PIPE SIZE	300mm	300mm	300mm	300mm	300mm	



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.
NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

- NOTES:
1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
 2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
 3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
 4. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
 5. THIS DRAWING IS FOR PLANNING PURPOSES ONLY
 6. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
 7. WHERE COVER TO PIPE IS LESS THAN 100mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE

KEY
 - - - - - EXISTING GROUND PROFILE
 _____ PROPOSED GROUND PROFILE

P03	09-06-22	PLANNING SUBMISSION	DKE	NOH
P02	11-04-22	FOR SODA	PLY	NOH
P01	18-10-21	ISSUED FOR PLANNING	GIS	NOH
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		

client approval
 suitability S4 - STAGE APPROVAL issue purpose PLANNING
DBFL Consulting Engineers
 Civil, Structural & Transportation Engineering
 www.dbfl.ie
 DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W704
 PHONE: +353 1 456 4000
 CORK OFFICE: 14 South Mall, Cork, T12 CT91
 PHONE: +353 21 2624538
 WATERFORD OFFICE: Suite 10 The Atrium, Maritime Gate, Canada Street, Waterford, X91 W028
 PHONE: +353 51 309 500

project ref.
**BALLYOULSTER KDA SHD - PHASE 1
 RESIDENTIAL DEVELOPMENT**
 drawing title
**FOUL NETWORK LONGSECTION -
 SHEET 3**
 client **KIERAN CURTIN, RECEIVER OVER
 CERTAIN ASSETS OF MAPLEWOOD
 DEVELOPMENTS UNLIMITED
 COMPANY**
 designed by PLY author PLY scale AS SHOWN sheet size A1
 drawing no. 180221-DBFL-FW-SP-M2-C-3102 revision P03